

SURVEY DATASHEET (Version 1.0)

PID: BBCC05
Designation: BRG258-006
Stamping: DIMPLE
Stability: Most reliable; expected to hold position well
Setting: Abutment or pier of large bridges
Description: From the intersection of State Route 559 and Township Road 258, heading Northeast with the centerline of Township Road 258 a distance of 311' +/- and Southeast 13' +/- to a dimpled 2" dia. Brass domed disk set in the Southeast end of the Northeast abutment of Bridge 258-0.06.
Observed: 2010-10-01T12:56:00Z
Source: OPUS - page5 1009.28



Close-up View

REF_FRAME: NAD_83(CORS96)	EPOCH: 2002.0000	SOURCE: NAVD88 (Computed using GEOID09)	UNITS: m	SET PROFILE	DETAILS
-------------------------------------	----------------------------	--	--------------------	--------------------	----------------


LAT: 40° 13' 54.60708" ± 0.011 m
LON: -83° 33' 34.59420" ± 0.004 m
ELL HT: 297.860 ± 0.029 m
X: 546977.352 ± 0.005 m
Y: -4845574.155 ± 0.022 m
Z: 4097864.142 ± 0.022 m
ORTHO HT: 331.382 ± 0.054 m

UTM 17 SPC 3401(OH N)
NORTHING: 4456631.921m 63308.835m
EASTING: 282241.045m 509820.794m
CONVERGENCE: -1.65385440° -0.69611079°
POINT SCALE: 1.00018376 1.00004470
COMBINED FACTOR: 1.00013703 0.99999797

CONTRIBUTED BY
[gdappert](#)
 Logan County Engineers Office



Horizon View



The numerical values for this position solution have satisfied the quality control criteria of the National Geodetic Survey. The contributor has verified that the information submitted is accurate and complete.